



OmegaAvail™ Ultra DHA References

- 1. Eicosapentaenoic acid versus docosahexaenoic acid in mild-to-moderate depression: A randomized, double-blind, placebo-controlled trial.** Mozaffari-Khosravi H, Yassini-Ardakani M, Karamati M, Shariati-Bafghi SE. Eur Neuropsychopharmacol. 2012 Aug 18. [Epub ahead of print] PMID:22910528
<http://www.ncbi.nlm.nih.gov/pubmed/22910528>
- 2. Similarities and differences between the effects of EPA and DHA on markers of atherosclerosis in human subjects.** Kelley DS, Adkins Y. Proc Nutr Soc. 2012 May;71(2):322-31. Epub 2012 Feb 28. Review. PMID:22369859
<http://www.ncbi.nlm.nih.gov/pubmed/22369859>
- 3. (n-3) fatty acids and cardiovascular health: are effects of EPA and DHA shared or complementary?** Mozaffarian D, Wu JH. J Nutr. 2012 Mar;142(3):614S-625S. Epub 2012 Jan 25. Review. PMID:22279134
<http://www.ncbi.nlm.nih.gov/pubmed/22279134>
- 4. Effects of eicosapentaenoic acid and docosahexaenoic acid on low-density lipoprotein cholesterol and other lipids: a review.** Jacobson TA, Glickstein SB, Rowe JD, Soni PN. J Clin Lipidol. 2012 Jan-Feb;6(1):5-18. Epub 2011 Nov 3. Review. PMID:22264569
<http://www.ncbi.nlm.nih.gov/pubmed/22264569>
- 5. Effects of eicosapentaenoic acid versus docosahexaenoic acid on serum lipids: a systematic review and meta-analysis.** Wei MY, Jacobson TA. Curr Atheroscler Rep. 2011 Dec;13(6):474-83. Review. Erratum in: Curr Atheroscler Rep. 2012 Feb;14(1):93. PMID:21975919
<http://www.ncbi.nlm.nih.gov/pubmed/21975919>
- 6. A maternal erythrocyte DHA content of approximately 6 g% is the DHA status at which intrauterine DHA biomagnifications turns into bioattenuation and postnatal infant DHA equilibrium is reached.** Luxwolda MF, Kuipers RS, Sango WS, Kwesigabo G, Dijck-Brouwer DA, Muskiet FA. Eur J Nutr. 2012 Sep;51(6):665-75. Epub 2011 Sep 28. PMID:21952690
<http://www.ncbi.nlm.nih.gov/pubmed/21952690>
- 7. Meta-analysis of the effects of eicosapentaenoic acid (EPA) in clinical trials in depression.** Sublette ME, Ellis SP, Geant AL, Mann JJ. J Clin Psychiatry. 2011 Dec;72(12):1577-84. Epub 2011 Sep 6. PMID:21939614
<http://www.ncbi.nlm.nih.gov/pubmed/21939614>
- 8. Novel proresolving aspirin-triggered DHA pathway.** Serhan CN, Fredman G, Yang R, Karamnov S, Belayev LS, Bazan NG, Zhu M, Winkler JW, Petasis NA. Chem Biol. 2011 Aug 26;18(8):976-87. PMID:21867913
<http://www.ncbi.nlm.nih.gov/pubmed/21867913>
- 9. [Therapeutic effects of larger doses of arachidonic acid added to DHA on social impairment and its relation to alterations of polyunsaturated fatty acids in individuals with autism spectrum disorders].** Yui K, Koshiba M, Nakamura S, Onishi M. Nihon Shinkei Seishin Yakurigaku Zasshi. 2011 Jun;31(3):117-24. Review. Japanese. PMID:21800702
<http://www.ncbi.nlm.nih.gov/pubmed/21800702>

10. **Intrauterine, postpartum and adult relationships between arachidonic acid (AA) and docosahexaenoic acid (DHA).** Kuipers RS, Luxwolda MF, Janneke Dijck-Brouwer DA, Muskiet FA. Prostaglandins Leukot Essent Fatty Acids. 2011 Nov;85(5):245-52. Epub 2011 May 10. Review. PMID:21561751
<http://www.ncbi.nlm.nih.gov/pubmed/21561751>
11. **Maternal DHA equilibrium during pregnancy and lactation is reached at an erythrocyte DHA content of 8 g/100 g fatty acids.** Kuipers RS, Luxwolda MF, Sango WS, Kwesigabo G, Dijck-Brouwer DA, Muskiet FA. J Nutr. 2011 Mar;141(3):418-27. Epub 2011 Jan 26. PMID:21270355
<http://www.ncbi.nlm.nih.gov/pubmed/21270355>
12. **[Importance of docosahexaenoic acid (DHA): Functions and recommendations for its ingestion in infants].** Gil-Campos M, Dalmau Serra J; Comité de Nutrición de la Asociación Española de Pediatría. An Pediatr (Barc). 2010 Sep;73(3):142.e1-8. Epub 2010 Jun 8. Review. Spanish. PMID:20570579
<http://www.ncbi.nlm.nih.gov/pubmed/20570579>
13. **Docosahexaenoic acid (DHA) and the developing central nervous system (CNS) - Implications for dietary recommendations.** Guesnet P, Alessandri JMBiochimie. 2011 Jan;93(1):7-12. Epub 2010 May 15. Review. PMID:20478353
<http://www.ncbi.nlm.nih.gov/pubmed/20478353>
14. **DHA may prevent age-related dementia.** Cole GM, Frautschy SA. J Nutr. 2010 Apr;140(4):869-74. Epub 2010 Feb 24. Review. PMID:20181786
<http://www.ncbi.nlm.nih.gov/pubmed/20181786>
15. **Docosahexaenoic acid (DHA). Monograph.** [No authors listed] Altern Med Rev. 2009 Dec;14(4):391-9. Review. No abstract available. PMID:20030466
<http://www.ncbi.nlm.nih.gov/pubmed/20030466>
16. **Omega-3 fatty acids and cardiovascular disease risk: do we understand the relationship?** Vrablík M, Prusíková M, Snejdrlová M, Zlatohlávek L. Physiol Res. 2009;58 Suppl 1:S19-26. Review. PMID:19857032
<http://www.ncbi.nlm.nih.gov/pubmed/19857032>
17. **Docosahexaenoic acid (DHA) and cardiovascular disease risk factors.** Holub BJ. Prostaglandins Leukot Essent Fatty Acids. 2009 Aug-Sep;81(2-3):199-204. Epub 2009 Jul 9. Review. PMID:19545988
<http://www.ncbi.nlm.nih.gov/pubmed/19545988>
18. **Biomarkers of DHA status.** Kuratko CN, Salem N Jr. Prostaglandins Leukot Essent Fatty Acids. 2009 Aug-Sep;81(2-3):111-8. Epub 2009 Jul 3. Review. PMID:19545987
<http://www.ncbi.nlm.nih.gov/pubmed/19545987>
19. **Toward optimizing vision and cognition in term infants by dietary docosahexaenoic and arachidonic acid supplementation: a review of randomized controlled trials.** Hoffman DR, Boettcher JA, Diersen-Schade DA. Prostaglandins Leukot Essent Fatty Acids. 2009 Aug-Sep;81(2-3):151-8. Epub 2009 Jun 7. Review. PMID:19505812
<http://www.ncbi.nlm.nih.gov/pubmed/19505812>
20. **Toxicology and safety of DHA.** Lien EL. Prostaglandins Leukot Essent Fatty Acids. 2009 Aug-Sep;81(2-3):125-32. Epub 2009 Jun 6. Review. PMID:19501496
<http://www.ncbi.nlm.nih.gov/pubmed/19501496>

- 21. Comparative effects of DHA and EPA on cell function.** Gorjão R, Azevedo-Martins AK, Rodrigues HG, Abdulkader F, Arcisio-Miranda M, Procopio J, Curi R. *Pharmacol Ther.* 2009 Apr;122(1):56-64. Epub 2009 Feb 12. Review. PMID:19318040
<http://www.ncbi.nlm.nih.gov/pubmed/19318040>
- 22. Role of long-chain polyunsaturated fatty acids in the first year of life.** Agostoni C. *J Pediatr Gastroenterol Nutr.* 2008 Nov;47 Suppl 2:S41-4. Review. PMID:18931599
<http://www.ncbi.nlm.nih.gov/pubmed/18931599>
- 23. Attention deficit disorders--drugs or nutrition?** Matsudaira T. *Nutr Health.* 2007;19(1-2):57-60. Review. PMID:18309764
<http://www.ncbi.nlm.nih.gov/pubmed/18309764>
- 24. Neuroprotectin D1 (NPD1): a DHA-derived mediator that protects brain and retina against cell injury-induced oxidative stress.** Bazan NG. *Brain Pathol.* 2005 Apr;15(2):159-66. Review. PMID:15912889
<http://www.ncbi.nlm.nih.gov/pubmed/15912889>
- 25. Essential fatty acids, DHA and human brain.** Singh M. *Indian J Pediatr.* 2005 Mar;72(3):239-42. Review. PMID:15812120
<http://www.ncbi.nlm.nih.gov/pubmed/15812120>
- 26. Is docosahexaenoic acid (DHA) essential? Lessons from DHA status regulation, our ancient diet, epidemiology and randomized controlled trials.** Muskiet FA, Fokkema MR, Schaafsma A, Boersma ER, Crawford MA. *J Nutr.* 2004 Jan;134(1):183-6. Review. No abstract available. PMID:14704315
<http://www.ncbi.nlm.nih.gov/pubmed/14704315>
- 27. The structure of DHA in phospholipid membranes.** Gawrisch K, Eldho NV, Holte LL. *Lipids.* 2003 Apr;38(4):445-52. Review. PMID:12848292
<http://www.ncbi.nlm.nih.gov/pubmed/12848292>
- 28. Differential effects of eicosapentaenoic acid and docosahexaenoic acid on vascular reactivity of the forearm microcirculation in hyperlipidemic, overweight men.** Mori TA, Watts GF, Burke V, Hilme E, Puddey IB, Beilin LJ. *Circulation.* 2000 Sep 12;102(11):1264-9. PMID:10982541
<http://www.ncbi.nlm.nih.gov/pubmed/982541>
- 29. Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men.** Mori TA, Burke V, Puddey IB, Watts GF, O'Neal DN, Best JD, Beilin LJ. *Am J Clin Nutr.* 2000 May;71(5):1085-94. PMID:10799369
<http://www.ncbi.nlm.nih.gov/pubmed/10799369>
- 30. Health benefits of docosahexaenoic acid (DHA)** Horrocks LA, Yeo YK. *Pharmacol Res.* 1999 Sep;40(3):211-25. Review. PMID:10479465
<http://www.ncbi.nlm.nih.gov/pubmed/10479465>
- 31. Docosahexaenoic acid but not eicosapentaenoic acid lowers ambulatory blood pressure and heart rate in humans.** Mori TA, Bao DQ, Burke V, Puddey IB, Beilin LJ. *Hypertension.* 1999 Aug;34(2):253-60. PMID:10454450
<http://www.ncbi.nlm.nih.gov/pubmed/10454450>
- 32. 15-lipoxygenase metabolites of docosahexaenoic Acid inhibit prostate cancer cell proliferation and survival.** O'Flaherty JT, Hu Y, Wooten RE, Horita DA, Samuel MP, Thomas MJ, Sun H, Edwards IJ. *PLoS One.* 2012;7(9):e45480. doi: 10.1371/journal.pone.0045480. Epub 2012 Sep 20. PMID:23029040

<http://www.ncbi.nlm.nih.gov/pubmed/23029040>

33. Improving outcome of chemotherapy of metastatic breast cancer by docosahexaenoic acid: a phase II trial. Bounoux P, Hajjaji N, Ferrasson MN, Giraudeau B, Couet C, Le Floch O. Br J Cancer. 2009 Dec 15;101(12):1978-85. Epub 2009 Nov 17. PMID: 19920822

<http://www.ncbi.nlm.nih.gov/pubmed/19920822>

34. Docosahexaenoic acid enhances the efficacy of docetaxel in prostate cancer cells by modulation of apoptosis: the role of genes associated with the NF-kappaB pathway.

Shaikh IA, Brown I, Schofield AC, Wahle KW, Heys SD. Prostate. 2008 Nov 1;68(15):1635-46. PMID:18668525

<http://www.ncbi.nlm.nih.gov/pubmed/18668525>

35. Distribution, interconversion, and dose response of n-3 fatty acids in humans.

Arterburn LM, Hall EB, Oken H. Am J Clin Nutr. 2006 Jun;83(6 Suppl):1467S-1476S. Review. PMID:16841856

<http://www.ncbi.nlm.nih.gov/pubmed/16841856>

36. Estimated macronutrient and fatty acid intakes from an East African Paleolithic diet. Kuipers RS, Luxwolda MF, Dijck-Brouwer DA, Eaton SB, Crawford MA, Cordain L, Muskiet FA. Br J Nutr. 2010 Dec;104(11):1666-87. Epub 2010 Sep 23. PMID:20860883

<http://www.ncbi.nlm.nih.gov/pubmed/20860883>

37. The composition of the Eskimo food in north western Greenland. Bang HO, Dyerberg J, Sinclair HM. Am J Clin Nutr. 1980 Dec;33(12):2657-61. PMID:7435433

<http://www.ncbi.nlm.nih.gov/pubmed/7435433>

38. Docosahexaenoic acid (DHA) content of membranes determines molecular activity of the sodium pump: implications for disease states and metabolism. Turner N, Else PL, Hulbert AJ. Naturwissenschaften. 2003

Nov;90(11):521-3. Epub 2003 Oct 10. PMID:14610651

<http://www.ncbi.nlm.nih.gov/pubmed/14610651>

39. Food and dietary supplement databases for What We Eat in America-NHANES. Dwyer J, Picciano MF, Raiten DJ; National Health and Nutrition Examination Survey. J Nutr. 2003 Feb;133(2):624S-34S. PMID:12566512

<http://www.ncbi.nlm.nih.gov/pubmed/12566512>

40. Healthy intakes of n-3 and n-6 fatty acids: estimations considering worldwide diversity. Hibbeln JR, Nieminen LR, Blasbalg TL, Riggs JA, Lands WE. Am J Clin Nutr. 2006 Jun;83(6 Suppl):1483S-1493S. PMID: 16841858

<http://www.ncbi.nlm.nih.gov/pubmed/16841858>

41. U.S. Department of Agriculture and U.S. Department of Health and Human Services, Dietary Guidelines for Americans, 2010. 7th Edition, Washington, DC: U.S. Government Printing Office, January 2011. McGuire S. Adv

Nutr. 2011 May;2(3):293-4. Epub 2011 Apr 30. No abstract available. PMID:22332062

<http://www.ncbi.nlm.nih.gov/pubmed/22332062>

42. Elevated concentrations of plasma omega-3 polyunsaturated fatty acids among Alaskan Eskimos.

Parkinson AJ, Cruz AL, Heyward WL, Bulkow LR, Hall D, Barstæd L, Connor WE. Am J Clin Nutr. 1994 Feb;59(2):384-8. PMID:8310989

<http://www.ncbi.nlm.nih.gov/pubmed/8310989>

43. Fatty acid composition of the plasma lipids in Greenland Eskimos. Dyerberg J, Bang HO, Hjorne N. Am J Clin Nutr. 1975 Sep;28(9):958-66. PMID:1163480

<http://www.ncbi.nlm.nih.gov/pubmed/1163480>

- 44. Dietary Reference Intakes: summary of applications in dietary assessment.** Murphy SP, Poos MI. Public Health Nutr. 2002 Dec;5(6A):843-9. PMID:12633508
<http://www.ncbi.nlm.nih.gov/pubmed/12633508>
- 45. Achieving optimal essential fatty acid status in vegetarians: current knowledge and practical implications.** Davis BC, Kris-Etherton PM. Am J Clin Nutr. 2003 Sep;78(3 Suppl):640S-646S. Review. PMID:12936959
<http://www.ncbi.nlm.nih.gov/pubmed/12936959>
- 46. Omega-3 fatty acids and cardiovascular disease: a case for omega-3 index as a new risk factor.** Harris WS. Pharmacol Res. 2007 Mar;55(3):217-23. Epub 2007 Jan 25. Review. PMID:17324586
<http://www.ncbi.nlm.nih.gov/pubmed/17324586>
- 47. Workshop on the Essentiality of and Recommended Dietary Intakes for Omega-6 and Omega-3 Fatty Acids.** Simopoulos AP, Leaf A, Salem N Jr. J Am Coll Nutr. 1999 Oct;18(5):487-9. No abstract available. PMID:10511332
<http://www.ncbi.nlm.nih.gov/pubmed/10511332>
- 48. Omega-3 polyunsaturated fatty acid supplementation for the treatment of heart failure: mechanisms and clinical potential.** Duda MK, O'Shea KM, Stanley WC. Cardiovasc Res. 2009 Oct 1;84(1):33-41. Epub 2009 May 27. Review. PMID:19474179
<http://www.ncbi.nlm.nih.gov/pubmed/19474179>
- 49. Changes in consumption of omega-3 and omega-6 fatty acids in the United States during the 20th century.** Blasbalg TL, Hibbeln JR, Ramsden CE, Majchrzak SF, Rawlings RR. Am J Clin Nutr. 2011 May;93(5):950-62. Epub 2011 Mar 2. PMID:21367944
<http://www.ncbi.nlm.nih.gov/pubmed/21367944>
- 50. DHA deficiency and Alzheimer's disease.** Pomponi M, Pomponi M. Clin Nutr. 2008 Feb;27(1):170. Epub 2007 Nov 26. No abstract available. PMID:18037538
<http://www.ncbi.nlm.nih.gov/pubmed/18037538>
- 51. Docosahexaenoic acid homeostasis, brain aging and Alzheimer's disease: Can we reconcile the evidence?** Cunnane SC, Chouinard-Watkins R, Castellano CA, Barberger-Gateau P. Prostaglandins Leukot Essent Fatty Acids. 2012 May 8. [Epub ahead of print] PMID:22575581
<http://www.ncbi.nlm.nih.gov/pubmed/22575581>
- 52. Dietary reference intakes for DHA and EPA.** Kris-Etherton PM, Grieger JA, Etherton TD. Prostaglandins Leukot Essent Fatty Acids. 2009 Aug-Sep;81(2-3):99-104. Epub 2009 Jun 13. PMID:19525100
<http://www.ncbi.nlm.nih.gov/pubmed/19525100>
- 53. Dietary intake of eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA) in children - a workshop report.** Koletzko B, Uauy R, Palou A, Kok F, Hornstra G, Eilander A, Moretti D, Osendarp S, Zock P, Innis S. Br J Nutr. 2010 Mar;103(6):923-8. Epub 2010 Feb 26. PMID: 20187993
<http://www.ncbi.nlm.nih.gov/pubmed/20187993>
- 54. Towards establishing dietary reference intakes for eicosapentaenoic and docosahexaenoic acids.** Harris WS, Mozaffarian D, Lefevre M, Toner CD, Colombo J, Cunnane SC, Holden JM, Klurfeld DM, Morris MC, Whelan J. J Nutr. 2009 Apr;139(4):804S-19S. Epub 2009 Feb 25. PMID: 19244379
<http://www.ncbi.nlm.nih.gov/pubmed/19244379>

55. Assessing the effect of docosahexaenoic acid on cognitive functions in healthy, preschool children: a randomized, placebo-controlled, double-blind study. Ryan AS, Nelson EB. Clin Pediatr (Phila). 2008 May;47(4):355-62. Epub 2008 Jan 7. PMID: 18180340
<http://www.ncbi.nlm.nih.gov/pubmed/18180340>